

Vi är nu distributörer för V.O.Baker!



är kända för att ha sin epoxy på de olika tourerna, samt varit en (epoxy)leverantör till Wishon Golf, under flera år.

Nytt för 2018, är att det även finns 4oz i G-600, G-800 & G-900 Series

Alla priser är exklusive moms

Standard Epoxy

G-900 Series - Ultra High Impact Shafting Epoxy

Tour tested and works on virtually any shaft material. Tightens and secures inserts and soleplates. The choice of clubmakers for the past 45 years.
Set Time: 3 hours • Play Time: 18-24 hours • Mixed Color: Black
Lap Shear: 3,330psi • Mix Ratio: 1:1

G-901	4OZ (1,18 dl)	91 sek
G-902	8OZ (2,37 dl)	128 sek
G-903	16OZ (4,73 dl)	203 sek



Medel Fast Epoxy

G-800 Series - 30 Minute Shafting Epoxy

Set Time: 30 minutes • Play Time: 90 minutes •
Mixed Color: Black • Lap Shear: 3,000psi • Mix Ratio: 1:1

G-801	4OZ (1,18 dl)	143 sek
G-802	8OZ (2,37 dl)	224 sek
G-803	16OZ (4,73 dl)	389 sek

Fast (Quick) Epoxy

G-600 Series – 10 Minute Shafting Epoxy (Our Tour Van Epoxy)

Set Time: 10 minutes • Play Time: 90 minutes • Mixed Color: Black
Lap Shear: 3,000psi • Mix Ratio: 1:1

G-601	4OZ (1,18 dl)	132 sek
G-602	8OZ (2,37 dl)	202 sek



G-1200 Series - Fast-Setting, High Impact Shafting Epoxy

Set Time: 3-5 minutes • Play Time: 30 minutes • Mixed Color: Black
Lap Shear: 3,300psi • Mix Ratio: 1:1

G-1202	8OZ (2,37 dl)	182 sek
G-1203	16OZ (4,73 dl)	314 sek

Övrigt produkter till Epoxy

"Skinny" Wooden Mixing Sticks for Mixing and Applying Epoxy

Poly bag of wooden mixing sticks for mixing and applying 2 parts epoxies.

Size: 5-1/2" x 1/4" x 1/12" (L 13,9 mm x B 6,3 mm x H 2 mm)

GWMS-25S	25-Pack	17 sek
GWMS-100S	100-Pack	50 sek



Wooden "Std" Mixing Sticks for Mixing and Applying Epoxy



Poly bag of wooden mixing sticks for mixing and applying 2 parts epoxies.

Size: 4-1/2" x 3/8" x 1/12" (L 11,5 mm x B 9,6 mm x H 2 mm)

GWMS-25	25-Pack	20 sek
GWMS-100	100-Pack	52 sek

CER-16FS Epoxy Remover/Clean Up Solvent 16oz (4,73 dl)

Removes uncured Epoxy adhesives, scuff marks and much more.

Comes in pleasant Citrus Odor.

89 sek



700038 Epoxy Manual Dispensing Gun for 50ml. Cartridges with 1:1 Push Rod

171 sek



Manual dispensing gun for all 50ml (1,7oz) epoxy cartridges.

Comes with 1 each 1:1 ratio push rod.

Easy to use.

SM6 Static Mixing Nozzles for 50ml 1:1 and 2:1 Mix Ratio Cartridges

19 sek

6" Static mixing nozzles attaches to end of 50ml (1,7oz) epoxy cartridges for a perfect mixing of Parts A and B.

Use with 700038 Epoxy Gun



Övrigt för (golf)verkstaden

GCP-4 Chrome Polish 4oz (1,2 dl) 83 sek

Makes metal club heads look like new. Removes bluing, scratches and other contamination on chrome and stainless steel hosels. Apply a small amount to a rag and rub into metal surface. *Buff with terry towel!*



GS-100-32FS Grip Solvent 32oz - GS100 Series 114 sek

Lubricates grip tape, making grip replacement much easier. Can be shipped via ground or air.

Nontoxic • Nonflammable • Low odor • Reusable

32 oz (0,95 L) bottle with flip spout.

HDLT-.5x75 High Density Lead Tape on a Roll

Increases swing weight without altering the center of gravity. Tape will stick indefinitely but can be easily removed.

Size = 0,01" x 1/2" x 75" per roll.

Size = 0,25 mm x 1,27 cm x 190,5 cm per roll.

120 sek



GSS-110 Safety Glasses 55 sek

Modern wrap around eye safety glasses (clear) with full side protection. Safety glasses have a four position temple adjustment allowing for a perfect fit.

Note: Protective safety glasses will not fit over eyeglasses.

För mer info, kontakta mig på:

Peter Qvarfordt

peter.qvarfordt@wilprod.se

www.wilprod.se

Phone +46 (0)703 190 596

